

August 21, 2024

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 110 Air and Wipe Sampling Evaluation Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the warehouse located in building 110 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination and ASTM Standard D6966: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division August 21, 2024 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration. However, as discussed below, the sample volume could not be verified due to a pump failure, and the air samples were not sent to the laboratory for analysis.

Wipe samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on July 29, 2024 by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was planned to be collected. However, the pump failed part way through sample collection due to a battery issue and the total sample volume could not be calculated. Therefore, this sample was not sent to the laboratory for analysis.

One (1) wipe sample was collected from the top of the filing cabinet along the south wall to the east of the mechanical room in the warehouse. Arsenic was detected at a concentration of 6.8 micrograms per square foot (µg/sq. ft.), below the Clean Area Limit of 62 µg/sq. ft. Barium was detected at a concentration of 130 µg/sq. ft., below the Clean Area Limit of 3,094 µg/sq. ft. Cadmium was detected at a concentration of 4.4 µg/sq. ft., below the Clean Area Limit of 31 µg/sq. ft. Chromium was detected at a concentration of 23 µg/sq. ft., below the Clean Area Limit of 3,094 µg/sq. ft. Lead was detected at a concentration of 260 µg/sq. ft., above the Clean Area Limit of 10 µg/sq. ft. Silver was detected at a concentration of 1.1 µg/sq. ft., below the Clean Area Limit of 62 µg/sq. ft. Selenium was below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix A.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.



Diane Czarnecki Facilities Management Division August 21, 2024 Page 3

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Wipe Sampling Laboratory Report

Information in Appendix A is not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.





7469 Whitepine Rd North Chesterfield, VA 23237 Telephone: 800.347.4010

Wipe Metals Analysis Report

Client: Burns & McDonnell Engineering

9400 Ward Pkwy. Kansas City, MO 64114

Received Date: 08/06/2024 **Analyzed Date:** 08/07/2024 **Reported Date:** 08/09/2024

Report Number:

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:

Laboratory Results 26-3514

Fax Number: 816-822-3494

24-08-00959

Lab Sample **Client Sample** Wipe Area **Total Metal** Concentration **Narrative** Analyte: Number Number (ft²) (ug) (ug/ft²) ID 24-08-00959-001 110-W-01 Arsenic (As) <2.50 L01 Barium (Ba) < 0.500 L01 Cadmium (Cd) < 0.100 L01 Chromium (Cr) L01 <1.00 L01 Lead (Pb) < 0.500 L01 Selenium (Se) < 2.50 Silver (Ag) < 0.500 L01 24-08-00959-002 110-W-02 Arsenic (As) 1.00 6.76 6.8 Barium (Ba) 1.00 125 130 Cadmium (Cd) 1.00 4.38 4.4 Chromium (Cr) 1.00 23.1 23

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 24-08-00959

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)	1.00	261	260	
		Selenium (Se)	1.00	<2.50	<2.5	
		Silver (Ag)	1.00	1.06	1.1	

Sample Narratives:

LO1: LCS and LCSD percent recovery was outside of acceptance limits for Se.

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D

Reviewed By Authorized Signatory:

Tasha Eaddy
QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

Legend ug = microgram ug/ft² = micrograms per square foot
mL = milliliter ft² = square foot

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form Burns & McDonnell 26-3514 Company Name Account # Kansas City, MO 64114 9400 Ward Parkway City/State/Zip Company Address eapulcher@burnsmcd.com 314-636-233-1270 Phone Email Project Name / Testing Address | GFC / 4300 Goodfellow Blvd PO Number 168765 Collected By Turn-Around Time C 5 DAY C 2 DAY 3 DAY 1 DAY SAME DAY OR WEEKEND - Must Call Ahead **METALS PARTICULATES** WIPES AIR Flow Total Welding Fume Profile Fotal Nuisance Dust oxic Metal Profile Vol. TSP Gravimetric Time Rate Respirable Dust Client Collection TCLP RCRA 8 RCRA 8 Total TX 11 TCLP Total AREA Pb TCLP TSP Pb Sample ID Date & Time Other Circle The Unit of CA 17 Measurement Used PM-Metals Mins. L/min Liters Ag, As, Ba, Cd, Cr, Pb, Se 110-W-01 7/29 NAXMA 1443 11 7/29 110-W-02 1444 12 × 12 Х Х х 8 Х Х 10 х 11 12 Х 13 Х 14 Х Anstalt Released By: Date: 8/2/2024 Time: 1030 Signature: