



June 10, 2024

Diane Czarnecki
Industrial Hygienist
Facilities Management Division
GSA Public Buildings Service – Heartland Region
2300 Main Street
Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 110 Air and Wipe Sampling Evaluation
Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the warehouse located in building 110 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki
Facilities Management Division
June 10, 2024
Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (μm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on May 21, 2024 by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was collected in the warehouse from the top of a metal cabinet on the south end of the building, north of the gas storage area. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected in the warehouse from the top of a metal cabinet on the south end of the building, north of the gas storage area. Barium was detected at a concentration of 47 micrograms per square foot ($\mu\text{g}/\text{sq. ft.}$), below the Clean Area Limit of 3,094 $\mu\text{g}/\text{sq. ft.}$ Cadmium was detected at a concentration of 2.2 $\mu\text{g}/\text{sq. ft.}$, below the Clean Area Limit of 31 $\mu\text{g}/\text{sq. ft.}$ Chromium was detected at a concentration of 120 $\mu\text{g}/\text{sq. ft.}$, below the Clean Area Limit of 3,094 $\mu\text{g}/\text{sq. ft.}$ Lead was detected at a concentration of 69 $\mu\text{g}/\text{sq. ft.}$, above the Clean Area Limit of 10 $\mu\text{g}/\text{sq. ft.}$ Arsenic, selenium and silver were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.


Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czamecki
Facilities Management Division
June 10, 2024
Page 3

Sincerely,

(b) (6)

A large black rectangular redaction box covers the signature area, with the text "(b) (6)" written in red at the top left corner of the box.

Matt Shanahan, CHMM
Project Manager

Attachments:

- Appendix A – Air Sampling Laboratory Report
- Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

APPENDIX A – AIR SAMPLING LABORATORY REPORT



7469 Whitepine Rd
 North Chesterfield, VA 23237
 Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering
 9400 Ward Pkwy.
 Kansas City, MO 64114

Report Number: 24-05-04084
 Received Date: 05/24/2024
 Reported Date: 05/30/2024

Project/Test Address: 168765; GFC/ 4300 Goodfellow Blvd

Client Number:
 26-3514

Fax Number:
 816-822-3494

Laboratory Results

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
24-05-04084-001	110-A-01	05/29/2024	Arsenic (As)	804	<0.15	<0.19	L01
			Barium (Ba)		<0.15	<0.19	
			Cadmium (Cd)		<0.030	<0.038	
			Chromium (Cr)		<0.75	<0.94	
			Lead (Pb)		<0.15	<0.19	
			Selenium (Se)		<0.75	<0.94	
			Silver (Ag)		<0.15	<0.19	
24-05-04084-002	110-A-02	05/29/2024	Arsenic (As)	--	<0.15	---	L01
			Barium (Ba)		<0.15	---	
			Cadmium (Cd)		<0.030	---	
			Chromium (Cr)		<0.75	---	
			Lead (Pb)		<0.15	---	
			Selenium (Se)		<0.75	---	
			Silver (Ag)		<0.15	---	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 24-05-04084

Project/Test Address: 168765; GFC/ 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
-------------------	----------------------	---------------	---------	----------------	------------------	------------------------------------	--------------

Sample Narratives:

L01: LCS/LCSD percent recovery for As, Se were outside of acceptance limits.

Method: NIOSH 7300M

Analyst: Max Dichek



Reviewed By Authorized Signatory:

Tasha Eaddy
QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND	ug = microgram	ug/m ³ = micrograms per cubic meter
	mL = milliliter	L= Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form

Pg 1 of 1

Company Name	Burns & McDonnell	Account #	26-3514
Company Address	9400 Ward Parkway	City/State/Zip	Kansas City, MO 64114
Phone	314-302-4661	Email	alanstaett@burnsmcd.com
Project Name / Testing Address		GFC / 4300 Goodfellow Blvd	
PO Number	168765	Collected By	A. Anstaett
Turn-Around Time	<input checked="" type="radio"/> 5 DAY <input type="radio"/> 3 DAY <input type="radio"/> 2 DAY <input type="radio"/> 1 DAY <input type="radio"/> SAME DAY OR WEEKEND - Must Call Ahead		

LINE NUMBER	Client Sample ID	Collection Date & Time	METALS							Other Metals	PARTICULATES				AIR			WIPES AREA <small>Circle Test unit or Measurement used</small>	
			Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA17 Total		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate		Vol.
																Min.	L/min.		Total Liters
1	100-A-01	5/21 1409							Ag, As, Ba, Cd, Cr, Pb, Se					311		804		X	
2	110-A-02	5/21 0815											-	-	-		X		
3																	X		
4	110-W-01	5/21 0901															12 x 12		
5	110-W-02	5/21 1141															NA NA		
6																	X		
7																	X		
8																	X		
9																	X		
10																	X		
11																	X		
12																	X		
13																	X		
14																	X		
15																	X		

Released By: <u>A. Anstaett</u>	Date: <u>5/22/24</u>	Time: <u>1030</u>
Signature: <u>(b) (6)</u>		

LAB USE ONLY - BELOW THIS LINE

Received By: HHumphrey

Signature: (b) (6)

Date: 5/23/24 Time: 12:24 AM PM

24-05-04084

Due Date:
06/03/2024
(Monday)
EL MM-L

Portal Contact Added

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010

RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

APPENDIX B – WIPE SAMPLING LABORATORY REPORT



7469 Whitepine Rd
 North Chesterfield, VA 23237
 Telephone: 800.347.4010

Wipe Metals Analysis Report

Client: Burns & McDonnell Engineering
 9400 Ward Pkwy.
 Kansas City, MO 64114

Report Number: 24-05-03862

Received Date: 05/23/2024
 Analyzed Date: 05/28/2024
 Reported Date: 05/30/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd.

Client Number:
 26-3514

Laboratory Results

Fax Number:
 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft ²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
24-05-03862-001	110-W-01	Arsenic (As)	1.00	<2.50	<2.5	
		Barium (Ba)	1.00	46.6	47	
		Cadmium (Cd)	1.00	2.24	2.2	
		Chromium (Cr)	1.00	122	120	
		Lead (Pb)	1.00	69.1	69	
		Selenium (Se)	1.00	<2.50	<2.5	
		Silver (Ag)	1.00	<0.500	<0.50	
24-05-03862-002	110-W-02	Arsenic (As)		<2.50	---	
		Barium (Ba)		<0.500	---	
		Cadmium (Cd)		<0.100	---	
		Chromium (Cr)		<1.00	---	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 24-05-03862

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd.

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft ²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
		Lead (Pb)		<0.500	---	
		Selenium (Se)		<2.50	---	
		Silver (Ag)		<0.500	---	

Sample Narratives:

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D

(b) (6)

Reviewed By Authorized Signatory:

Tasha Eaddy

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

Legend ug = microgram ug/ft² = micrograms per square foot
 mL = milliliter ft² = square foot

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form

Pg 1 of 1

Company Name	Burns & McDonnell	Account #	26-3514
Company Address	9400 Ward Parkway	City/State/Zip	Kansas City, MO 64114
Phone	314-302-4661	Email	alanstaett@burnsmcd.com
Project Name / Testing Address		GFC / 4300 Goodfellow Blvd	
PO Number	168765	Collected By	A. Anstaett
Turn-Around Time	<input checked="" type="checkbox"/> 5 DAY <input type="checkbox"/> 3 DAY <input type="checkbox"/> 2 DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> SAME DAY OR WEEKEND - Must Call Ahead		

USE NUMBER	Client Sample ID	Collection Date & Time	METALS							Other Metals	PARTICULATES					AIR			WIPES	
			Pb TCLP	TCLP RCRA B	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate	Vol.	AREA <small>Circle The Unit of Measurement Used</small>	
																Mins	L/min	Total Liters		cm or in
	100-A-01	5/21 1409							Ag, As, Ba, Cd, Cr, Pb, Se						311		804		x	
	110-A-02	5/21 0815													-	-	-		x	
	110-W-01	5/21 0901																	12 x 12	
	110-W-02	5/21 1141																	NA NA	
6																			x	
7																			x	
8																			x	
9																			x	
10																			x	
11																			x	
12																			x	
13																			x	
14																			x	
15																			x	

Released By: <u>A. Anstaett</u>	Date: <u>5/22/24</u>	Time: <u>1030</u>
Signature: <u>(b) (6)</u>		

LAB USE ONLY - BELOW THIS LINE

Received By: HHumphrey

Signature: (b) (6)

Date: 5/23/24 Time: 12:24 AM PM

24-05-03862

Due Date:
05/31/2024
(Friday)
EL MM-L

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010

RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com