

July 31, 2024

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 110 Air and Wipe Sampling Evaluation Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

### **INTRODUCTION**

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the warehouse located in building 110 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site.

### SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division July 31, 2024 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer ( $\mu$ m) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

### SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on July 16, 2024 by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was collected in the warehouse from center of the warehouse, near the red metal railing on the mezzanine. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected in the warehouse from the top of a chair by the ladders in the center of the warehouse. Arsenic was detected at a concentration of 5.0 micrograms per square foot ( $\mu$ g/sq. ft.), below the Clean Area Limit of 62  $\mu$ g/sq. ft. Barium was detected at a concentration of 7.8  $\mu$ g/sq. ft., below the Clean Area Limit of 3,094  $\mu$ g/sq. ft. Cadmium was detected at a concentration of 14  $\mu$ g/sq. ft., below the Clean Area Limit of 31  $\mu$ g/sq. ft. Lead was detected at a concentration of 3.7  $\mu$ g/sq. ft., below the Clean Area Limit of 10  $\mu$ g/sq. ft. Chromium, selenium and silver were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

### **LIMITATIONS**

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division July 31, 2024 Page 3

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

**APPENDIX A – AIR SAMPLING LABORATORY REPORT** 



### Air Metals Analysis Report

Client:	Burns & McDonnell Engineering	Report Number:	24-07-03439
	9400 Ward Pkwy.		
	Kansas City, MO 64114	Received Date:	07/19/2024
		Reported Date:	07/26/2024

Project/Test Address: 168765; GFC/4300 Goodfellow

Client Number: 26-3514

# Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m <sup>3</sup> )	Narrative ID
24-07-03439-001	110-A-01	07/22/2024	Arsenic (As)	938	<0.15	<0.16	
			Barium (Ba)		<0.15	<0.16	
			Cadmium (Cd)		<0.030	<0.032	
			Chromium (Cr)		<0.75	<0.80	
			Lead (Pb)		<0.15	<0.16	
			Selenium (Se)		<0.75	<0.80	
			Silver (Ag)		<0.15	<0.16	
24-07-03439-002	110-A-02	07/22/2024	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		

### Environmental Hazards Services, L.L.C

### Client Number: 26-3514 Project/Test Address: 168765; GFC/4300 Goodfellow

i iojeci/	rest Address	. 100700, 01 0/4						
Lab	Sample	Client Sample	Analyzed	Analyte	Air	Total Metal	Concentration	Narrative
NI	mhor	Numeran	Data	-	$\lambda = 1 \dots = 1 \lambda$	(	(110/1003)	

Number	Number	Date	Volume (L)	(ug)	(ug/m³)	ID
Sample Narrative						
Sample Narrative	35.					

Method: NIOSH 7300M Analyst: Carlos Gonzalez

Reviewed By Authorized Signatory:

*Tasha Eaddy* QA/QC Clerk

Report Number:

24-07-03439

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND	ug = microgram	ug/m <sup>3</sup> = micrograms per cubic meter
	mL = milliliter	L= Liters

## **ENVIRONMENTAL HAZARDS SERVICES, LLC**

			M	eta	ls	Cł	nai	n c	of (	Custod	y F	orr	n					P	g	of
	Company Name	Burns & Mo	Don	nell								Aco	coun	t #	2	6-3	514			
Co	mpany Address	9400 Ward	Parl	kwa	у						Ci	ty/Sta	ate/	Zip	K	ans	sas Cit	y, MC	D 641	14
	Phone	314-636-23	33-12	270									Em	nail	a	lan	staett(	@burr	nsmcc	l.com
P	roject Name / Te	sting Address	GFC	/ 43	300	Goo	odfe	ellov	vВ	lvd										
	PO Number	168765							Co	ollected By	A,	Ar	25	+c	il	H				
Tu	rn-Around Time	C 5 DA	Y	٦ 3	DAY	(	C	2 D	AY	C 1 D/							RWEE	KEND -	Must	Call Ahead
		1			М	ETA	LS					P	PART	ICUL	ATE	S	AIR			WIPES
AB NUMBER	Client	Collection		A 8	otal	Profile	Profile	LP	tal			e Dust	Dust	etric			Total Time	Flow Rate	Vol.	AREA
LABN	Sample ID	Collection Date & Time RCRA 8 Total Toxic Metal Profile		Welding Fume Profile	TX 11 TCLP	CA 11 TCLP CA 17 TCLP Metals				TSP Gravimetric	TSP Pb	PM- 10	Mins.	L/min.	Total Liters	Circle The Unit of Measurement Used cm or (in)				
1	110 - A - 01 T	1/16 1512	8			1101100				Ag, As, Ba, Cd, Pb, Se	Cr,	RECENT		135102		253/225	370		938	x
	110-A-02	1 0732								1								-		×
3	110-A-00	0.00																		12×12
4	110-W-01	1510																		121 × 12
5		1 1511																		MA × NA
6	110-W-02																			x
7	·····						_											-		x
8									_			$\left  - \right $					A PARTICIPATION AND AND AND AND AND AND AND AND AND AN			x
9												$\left  \right $								x
10																				× ×
11															-+					x
12																				
13												$\left  \right $								x
15																				
			_													_				x
15																			2.0	x
	Released By: Signature:	A. A. S.L.	a li	+						Date:	7	117	[9	-4			Time:	116	30	
						L/	AB US	E ON	LY –	BELOW THIS LIN	IE									
Recei	ved By: ++++( (b) (6)	mph	n	L	1											24	-07-0	3439	)	
Signa	ture:																			
Date:	7,19	<u>,24</u> тіт	e:	7	_:_(	0	C				1						ue Dat /26/2		· · · · · · · · · · · · · · · · · · ·	
P	ortal Contact A	dded								,							(Friday EL	/)	MM	-L
	7469 WHITEPINE RESULTS VIA CLIE																			

**APPENDIX B – WIPE SAMPLING LABORATORY REPORT** 



## Wipe Metals Analysis Report

Client:	Burns & McDonnell Engineering 9400 Ward Pkwy.	Report Number:	24-07-03437
	Kansas City, MÓ 64114	Received Date:	07/19/2024
		Analyzed Date:	07/25/2024
Draigat/Tay	Addross 169765: CEC/1200 Coodfollow	Reported Date:	07/26/2024

Project/Test Address: 168765; GFC/4300 Goodfellow

Client Number:

26-3514

# Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
24-07-03437-001	110-W-01	Arsenic (As)	1.00	5.00	5.0	L01
		Barium (Ba)	1.00	7.80	7.8	L01
		Cadmium (Cd)	1.00	14.4	14	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	3.74	3.7	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
24-07-03437-002	110-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01

### Environmental Hazards Services, L.L.C

### Client Number: 26-3514 Project/Test Address: 168765; GFC/4300 Goodfellow

Report Number: 24-07-03437

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01

#### Sample Narratives:

L01: LCS and LCSD percent recovery for Se was outside of acceptance limit.

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D



Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

 Legend
 ug = microgram
 ug/ft² = micrograms per square foot

 mL = milliliter
 ft² = square foot

## ENVIRONMENTAL HAZARDS SERVICES, LLC

			Me	tal	s (	Ch	air	0 0	fC	Custody	r F	orn	1					Pg		of
(	Company Name	Burns & McD										Acco	ount				514		0444	
Co	mpany Address	9400 Ward F	Park	way	/						Cit	y/Sta					as City			
	Phone	314-636-233	-127	70									Ema	ail	ala	ans	taett@	yburn	smca.	COM
Pr	oject Name / Te	sting Address G	FC /	43	00 (	Goo	dfe	llow	B	vd						11				
	PO Number	168765							Co	llected By	Å,	Ar								
Tur	n-Around Time	C 5 DAY	(	3	DAY		ſ	2 D/	¥Υ	(° 1 DA	.Υ	)	S/	ME	DA	YO	RWEEK	END -	Must C	all Ahead
					M	ETA	LS					P	ARTI	CUL	ATES	5		AIR		WIPES
R				~		ofile	rofile					Dust	ust	tric			Total Time	Flow Rate	Vol.	AREA
AB NUMBER	Client Sample ID	Collection Date & Time	Pb TCLP	ICRA 8	8 Tota	tal Pro	ume P	TX 11 TCLP	CA 17 Total	Other		sance	able D	avime	TSP Pb	PM- 10				Circle The Unit of Measurement Used
2			PbT	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11	CA 17	Metals		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TS	PA	Mins.	L/min.	Total Liters	cm or (in)
1	ilb - A col	1/16 1512								Ag, As, Ba, Cd, Pb, Se	Cr,						370		938	x
2		1 0732								1							-	-	-	x
3	110-A-02	1 0.00																		12-x-12-
4	110-W-01	1510	-																	12A × 12
5		1 1511	-																	MA × NA
6	110-10-02																			x
7																				x
8			1																	x
9			1																	x
10																				x
11																				х
12																				x
13																				x
14																				x
15																				x
	Released By:	A A sele	2.07	++						Date:	-	1/17	12	) U	[		Time	: 10	<u>030</u>	}
	Signature:		A .A.2	J.s. Lana																
							LAB L	JSE O	NLY -	- BELOW THIS L	INE									
	HH	H MDD	57	l	ノ											2	4-07-0	0343	7	
Rece	eived By: (b) (6)	MIP.																		
Sign	ature:						~			,										
	7.19	<u>,24</u> Time		2		Ó	0		Γ		M						Due Da			
Date	e:/_/		:. <u> </u>		·				_	$\mathcal{T}$						0	7/26/2 (Frida			
	Portal Contact																EL	97	M	И-L
2	7469 WHITEPI RESULTS VIA CI	NE RD, RICHMONI IENT PORTAL AV	D, VA AILA	232 BLE	237 @ w			347-4 dlab												