

September 9, 2024

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the first floor of building 107 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation*, dated December 27, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division September 9, 2024 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (μ m) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on August 29, 2024 by Tasnima Uddin of Burns & McDonnell.

One (1) air sample was collected from the overhead shelf of the southeast desk of room 102 on the 1st floor. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected from the top of the southeast desk in room 102 on the 1st floor. Barium was detected at a concentration of 1.3 micrograms per square foot (μ g/sq. ft.), below the Clean Area Limit of 3,094 μ g/sq. ft. All other analytes were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division September 9, 2024 Page 3

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

APPENDIX A – AIR SAMPLING LABORATORY REPORT



Air Metals Analysis Report

Client:	Burns & McDonnell Engineering	Report Number:	24-08-05500
	9400 Ward Pkwy.		
	Kansas City, MO 64114	Received Date:	08/30/2024
		Reported Date:	09/05/2024
Project/T	est Address: 168765: GEC: 1300 Goodfellow Blvd		

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number: 26-3514

Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
24-08-05500-001	107-A-01	09/03/2024	Arsenic (As)	662.8	<0.15	<0.23	
			Barium (Ba)		<0.15	<0.23	
			Cadmium (Cd)		<0.030	<0.046	
			Chromium (Cr)		<0.75	<1.2	
			Lead (Pb)		<0.15	<0.23	
			Selenium (Se)		<0.75	<1.2	
			Silver (Ag)		<0.15	<0.23	
24-08-05500-002	107-A-02	09/03/2024	Arsenic (As)	0	<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample	Client Sample	Analyzed	Apolyto	Air	Total Metal	Concentration	Narrative
Number	Number	Analyzed Date	Analyte	Volume (L)	(ug)	(ug/m ³)	ID

Sample Narratives:

Method: NIOSH 7300M Analyst: Carlos Gonzalez

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND	ug = microgram	ug/m ³ = micrograms per cubic meter
	mL = milliliter	L= Liters

24-08-05500 Report Number:

e

ENVIRONMENTAL HAZARDS SERVICES, LLC

					ls	Cł	nai	n c	of (Custod	y F	Forr	n					Pe		of
	Company Name	Burns & M	Don	nell								Acc	coun	t #	2	6-3	514			
Co	ompany Address	9400 Ward	Par	ƙwa	у						С	ity/St	ate/	Zip	K	ans	sas Cit	y, MC	0 6411	4
	Phone	314-636-23	33-12	270									En	iail	e	арі	ulcher(@burr	nsmcd	.com
Р	roject Name / Te	esting Address	GFC	/ 43	300	Goo	odfe	ellov	NВ	lvd										
	PO Number	168765							Co	ollected By	T	. ud	٨īı	١						
Tu	rn-Around Time	5 DA	Y	C 3	DAY	(يىغۇر }	2 D	AY	1 D	ΑY		៍ទ	AM	E DA	AY OR WEEKEND - Must Call Ahe				
					M	ΕTA	LS					F	PART	ICUL	ATE	S		AIR		WIPES
AB NUMBER	Client	Collection		8	tal	rofile	Profile	Ŀ	tal			e Dust		etric			Total Time	Flow Rate	Vol.	AREA
LAB N	Sample ID	Date & Time	Ph TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals	i	Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM- 10	Mins.	L/min.	Total Liters	Circle The Unit of Measurement Used cm or in
1	107-4-01	8/29 123	3							Ag, As, Ba, Cd Pb, Se	Cr,						240	-	622.8	X
z	107-A-02																-	-	-	x
3		-{!																		x
4																				x
5	107-20-01	6/29 122	6																	12 × 12
6	107-W-01 4 107-W-02	8/29 135	1																	N/4 × N/A
7																				x
8																				x
9																				x
10																				х
11																				x
12																				х
13																				x
14																				х
15																				x
	Released By:	Tas uddi	И		11			i		Date:	8	12917	14	I			Time:	15	30	
	Signature:	(b) (6)									1	€L <u></u> f				1				
						L	AB U	SE ON	ILY –	BELOW THIS LI	NE									
Signa Date:	ived By:(b) (6 iture:(b) (6 :30 Portal Contact A 7469 WHITEPIN			2323	5 6		0)-34			AM DPN	л						4-08-(Due Da 9/09/2 (Mond EL	ate: 2024		л-L
_	RESULTS VIA CLI					-				1						0	2m	M)	Mirs	>

APPENDIX B – WIPE SAMPLING LABORATORY REPORT



Wipe Metals Analysis Report

Client:	Burns & McDonnell Engineering	Report Number:	24-08-05501
	9400 Ward Pkwy.		
	Kansas City, MO 64114	Received Date:	08/30/2024
		Analyzed Date:	08/30/2024
Project/Te	est Address: 168765: GEC: 4300 Goodfellow Blvd	Reported Date:	09/03/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:

26-3514

Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
24-08-05501-001	107-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	1.32	1.3	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
24-08-05501-002	107-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Report Number: 24-08-05501

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01

Sample Narratives:

L01: LCSD percent recovery for Se was outside of acceptance limits.

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D



Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

 Legend
 ug = microgram
 ug/ft² = micrograms per square foot

 mL = milliliter
 ft² = square foot

		ENVIR	DN	IN	IEI	NT		Lŀ	łA	ZARDS	5.5	SER	۲۷	IC	ES	5, 1	LLC			
		5	Mε	eta	ls	Cł	nai	n d	of (Custody	y F	Fori	m					Pg		of
	Company Name	Burns & McE)onr	nell								Ace	cour	nt#	2	6-3	514			
Co	mpany Address	9400 Ward F	Park	wa	у						C	ty/St	ate/	Zip	K	Kansas City, MO 64114				
	Phone	314-636-233											En	nail	e	арі	lcher(@burr	nsmcd	.com
P	Project Name / Testing Address GFC / 4300 Goodfellow Blvd																			
	PO Number	168765							Co	ollected By	T	ud	<i>L</i> i1	1						
Tu	rn-Around Time	Around Time 5 DAY 3 DAY 2 DAY 1 DAY SAME								E DA	AY C	OR WEEI	KEND -	Must C	all Ahead					
					M	ETA	LS	-				F	PART	ICUL	ATE	S		AIR	- -	WIPES
AB NUMBER	Client	Collection	0	A 8	otal	Profile	e Profile	цР	otal			ce Dust	Dust	etric			Total Time	Flow Rate	Vol.	AREA
LAB N	Sample ID	Date & Time	Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM- 10	Mins.	L/min.	Total Liters	Circle The Unit of Measurement Used Cm or in
1	107-4-01	8/29 1233								Ag, As, Ba, Cd, Pb, Se	Cr,						240	-	622.8	x
2		3hg 820															~	-	-	x
3																				x
4		-																		x
5	107-10-01	6/29 1240																		12 × 12
6	107-10-02										******									N/4 × M/H
7																				x
8																				x
9																				x
10																				x
11																				х
12										-										х
13																				x
14																			-	х
15		-																		x
	Released By: Signature:	Tur Uddin (b) (6)								Date:	8	29/2	ηf				Time:	16	30	
		/				L	AB U	SE ON	ILY –	BELOW THIS LIN	١E									
	ived By: (b) (6) ature:	towen		1<		0				AM PP	Λ	-					24-08-		1	
	Portal Contact	· · · /				<u> </u>		<u>.</u>								(Due D 9/09/	2024		
2		E RD, RICHMOND				•	0)-34 lead									C Z	(Mond EL	A.	M	M-L