

Lab Reports

July 2016

Provided to GSA by Global Environmental, Inc.

Please note:

This report includes raw data associated with a larger environmental investigation and cleanup project. GSA is sharing the information in an effort to be as transparent as possible. Project managers are working closely with industry experts and the National Institute of Occupational Safety and Health (NIOSH) to interpret the data and determine potential health impacts associated with the findings.

The Veterans Administration is the sole tenant in the space addressed in this report. Occupational health and safety professionals from NIOSH analyzed this data and reported lead dust at these levels requires environmental cleanup but does not appear to present a risk to human health.



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0001	001	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0002	002	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

(b) (6)

JN
Analyst

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
 5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0003	003	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0004	004	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

(b) (6)

JN
 Analyst

Michael Chapman- Laboratory Manager
 Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0005	005	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0006	006	100	Arsenic	<1.0	<1.0	1.0
			Barium	1.3	1.3	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0007	007	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0008	008	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0009	009	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0010	010	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0011	011	100	Arsenic	<1.0	<1.0	1.0
			Barium	2.1	2.1	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	2.0	2.0	1.0
			Selenium	1.1	1.1	1.0
			Silver	<1.0	<1.0	1.0
331612657-0012	012	100	Arsenic	<1.0	<1.0	1.0
			Barium	5.0	5.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	1.5	1.5	1.0
			Lead	2.2	2.2	1.0
			Selenium	1.9	1.9	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0013	013	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0014	014	100	Arsenic	<1.0	<1.0	1.0
			Barium	19	19	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0015	015	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0016	016	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0017	017	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	11	11	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0018	018	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0019	019	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0020	020	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
 5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
 Terracon Consultants, Inc.
 11600 Liburn Park Road
 Saint Louis, MO 63146

Customer ID: TERR57
 Customer PO:
 Date Received: 07/13/16
 LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
 Phone: 314-569-9367
 Fax:
 Report Date: 07/15/16

Project: **15167179**
 Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0021	021	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0022	022	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
 Analyst

(b) (6)

Michael Chapman- Laboratory Manager
 Or other approved signatory



LA Testing
 5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
 Terracon Consultants, Inc.
 11600 Liburn Park Road
 Saint Louis, MO 63146

Customer ID: TERR57
 Customer PO:
 Date Received: 07/13/16
 LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
 Phone: 314-569-9367
 Fax:
 Report Date: 07/15/16

Project: **15167179**
 Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0023	023	100	Arsenic	<1.0	<1.0	1.0
			Barium	1.3	1.3	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0024	024	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
 Analyst

(b) (6)

Michael Chapman- Laboratory Manager
 Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0025	025	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0026	026	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0027	027	100	Arsenic	<1.0	<1.0	1.0
			Barium	11	11	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	1.7	1.7	1.0
			Lead	5.5	5.5	1.0
			Selenium	2.4	2.4	1.0
			Silver	<1.0	<1.0	1.0
331612657-0028	028	100	Arsenic	<1.0	<1.0	1.0
			Barium	6.8	6.8	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	2.3	2.3	1.0
			Selenium	1.2	1.2	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0029	029	100	Arsenic	<1.0	<1.0	1.0
			Barium	9.6	9.6	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	1.2	1.2	1.0
			Lead	3.3	3.3	1.0
			Selenium	1.7	1.7	1.0
			Silver	<1.0	<1.0	1.0
331612657-0030	030	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0031	031	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0032	032	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

(b) (6)

JN
Analyst

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0033	033	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0034	034	100	Arsenic	<1.0	<1.0	1.0
			Barium	3.7	3.7	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	1.8	1.8	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0035	035	100	Arsenic	<5.0	<5.0	5.0
			Barium	91	91	5.0
			Cadmium	<5.0	<5.0	5.0
			Chromium	120	120	5.0
			Lead	52	52	5.0
			Selenium	12	12	5.0
			Silver	<5.0	<5.0	5.0
331612657-0036	036	100	Arsenic	<5.0	<5.0	5.0
			Barium	35	35	5.0
			Cadmium	<5.0	<5.0	5.0
			Chromium	170	170	5.0
			Lead	15	15	5.0
			Selenium	11	11	5.0
			Silver	<5.0	<5.0	5.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0037	037	100	Arsenic	<1.0	<1.0	1.0
			Barium	3.2	3.2	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	1.1	1.1	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0038	038	100	Arsenic	<1.0	<1.0	1.0
			Barium	1.1	1.1	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn:	Eric Schatz Terracon Consultants, Inc. 11600 Liburn Park Road Saint Louis, MO 63146	Customer ID:	TERR57
		Customer PO:	
		Date Received:	07/13/16
		LA Testing Order:	331612657
Email:	Eric.schatz@terracon.com	Project:	15167179
Phone:	314-569-9367		
Fax:			
Report Date:	07/15/16	Date Analyzed:	07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0039	039	100	Arsenic	<1.0	<1.0	1.0
			Barium	22	22	1.0
			Cadmium	1.0	1.0	1.0
			Chromium	3.7	3.7	1.0
			Lead	8.5	8.5	1.0
			Selenium	1.7	1.7	1.0
			Silver	<1.0	<1.0	1.0
331612657-0040	040	100	Arsenic	<1.0	<1.0	1.0
			Barium	1.0	1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0041	041	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0042	042	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0043	043	100	Arsenic	<1.0	<1.0	1.0
			Barium	40	40	1.0
			Cadmium	2.0	2.0	1.0
			Chromium	6.8	6.8	1.0
			Lead	20	20	1.0
			Selenium	2.4	2.4	1.0
			Silver	<1.0	<1.0	1.0
331612657-0044	044	100	Arsenic	<1.0	<1.0	1.0
			Barium	3.5	3.5	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0045	045	100	Arsenic	<1.0	<1.0	1.0
			Barium	29	29	1.0
			Cadmium	1.1	1.1	1.0
			Chromium	11	11	1.0
			Lead	17	17	1.0
			Selenium	2.2	2.2	1.0
			Silver	<1.0	<1.0	1.0
331612657-0046	046	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0047	047	100	Arsenic	<1.0	<1.0	1.0
			Barium	35	35	1.0
			Cadmium	3.3	3.3	1.0
			Chromium	14	14	1.0
			Lead	20	20	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0048	048	100	Arsenic	<1.0	<1.0	1.0
			Barium	12	12	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	7.8	7.8	1.0
			Lead	5.8	5.8	1.0
			Selenium	1.6	1.6	1.0
			Silver	<1.0	<1.0	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

JN
Analyst

(b) (6)

Michael Chapman- Laboratory Manager
Or other approved signatory



LA Testing
5431 Industrial Drive, Huntington Beach, CA 92649

Order ID: 331612657

Attn: Eric Schatz
Terracon Consultants, Inc.
11600 Liburn Park Road
Saint Louis, MO 63146

Customer ID: TERR57
Customer PO:
Date Received: 07/13/16
LA Testing Order: 331612657

Email: Eric.schatz@terracon.com
Phone: 314-569-9367
Fax:
Report Date: 07/15/16

Project: **15167179**
Date Analyzed: 07/14/16

Metals in Gauze by ICP – EPA 6010B Modified

Lab ID	Client ID	Area (cm2)	Analyte	µg/wipe	µg/100cm2	Reporting Limit (µg/wipe)
331612657-0049	049	100	Arsenic	<1.0	<1.0	1.0
			Barium	<1.0	<1.0	1.0
			Cadmium	<1.0	<1.0	1.0
			Chromium	<1.0	<1.0	1.0
			Lead	<1.0	<1.0	1.0
			Selenium	<1.0	<1.0	1.0
			Silver	<1.0	<1.0	1.0
331612657-0050	050	-	Arsenic	<1.0	NA	1.0
			Barium	<1.0	NA	1.0
			Cadmium	<1.0	NA	1.0
			Chromium	<1.0	NA	1.0
			Lead	<1.0	NA	1.0
			Selenium	<1.0	NA	1.0
			Silver	<1.0	NA	1.0

Sample received in acceptable condition unless otherwise noted. This report may not be reproduced except in full, without written approval by LA Testing. This report relates only to those items tested. Unless otherwise noted, the results in this report have not been blank corrected. Quality Control Data associated with this sample set is within acceptable limits, unless otherwise noted. Note: Reporting limit of sample # 35 and 36 was raised due to matrix interference.

(b) (6)

JN
Analyst

Michael Chapman- Laboratory Manager
Or other approved signatory



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/19/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/14/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161612267. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Reviewed and Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 051 **Collected:** 7/12/2016 **Lab ID:** 0001
 Unit 0000 Shelf F10 Row 5

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 052 **Collected:** 7/12/2016 **Lab ID:** 0002
 Unit 3201 Diffuser D10

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.71	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 053 **Collected:** 7/12/2016 **Lab ID:** 0003
 Unit 1802 Row 5 outside File Col J10

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.95	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 054 **Collected:** 7/12/2016 **Lab ID:** 0004
 Unit 9701 Back ledge Row 6 E-10

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	20	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.4	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 054 **Collected:** 7/12/2016 **Lab ID:** 0004
 Unit 9701 Back ledge Row 6 E-10

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	2.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	11	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	0.71	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 055 **Collected:** 7/12/2016 **Lab ID:** 0005
 Top of cabinet 4602 A-10

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	12	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.59	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	5.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 056 **Collected:** 7/12/2016 **Lab ID:** 0006
 Unit 0103 Row 8 E-11 Empty Shelf

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.8	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.73	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.3	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 057 **Collected:** 7/12/2016 **Lab ID:** 0007
 Unit 0604 Row 6 Inside File G-11

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 057 **Collected:** 7/12/2016 **Lab ID:** 0007
 Unit 0604 Row 6 Inside File G-11

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 058 **Collected:** 7/12/2016 **Lab ID:** 0008
 Unit 8503 Track in floor C-11

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.3	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.43	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	3.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 059 **Collected:** 7/12/2016 **Lab ID:** 0009
 Unit 9104 Outside of file Row 6 G-11

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	4.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 060 **Collected:** 7/12/2016 **Lab ID:** 0010
 Unit 1005 Back wall interior Row 8 C-11

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 061 **Collected:** 7/12/2016 **Lab ID:** 0011
 Unit 7405 Floor B-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.74	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 062 **Collected:** 7/12/2016 **Lab ID:** 0012
 Unit 6006 Top of cabinet E-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	24	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.5	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	13	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 063 **Collected:** 7/12/2016 **Lab ID:** 0013
 Unit 1707 Open file Row 5 H-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 064 **Collected:** 7/12/2016 **Lab ID:** 0014
 Unit 0007 Outside backwall E-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 064 **Collected:** 7/12/2016 **Lab ID:** 0014
 Unit 0007 Outside backwall E-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 065 **Collected:** 7/12/2016 **Lab ID:** 0015
 Unit 8407 Window sill J-12

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 066 **Collected:** 7/12/2016 **Lab ID:** 0016
 Unit 7608 Duct work Top Hallway E-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	6.8	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 067 **Collected:** 7/12/2016 **Lab ID:** 0017
 Unit 6309 Bottom shelf Row 8 E-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.70	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 067 **Collected:** 7/12/2016 **Lab ID:** 0017
 Unit 6309 Bottom shelf Row 8 E-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 068 **Collected:** 7/12/2016 **Lab ID:** 0018
 Unit 5908 Inside File Row 3 H-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 069 **Collected:** 7/12/2016 **Lab ID:** 0019
 3910 Light Fixture Hall A-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	18	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.96	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	9.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 070 **Collected:** 7/12/2016 **Lab ID:** 0020
 Floor C-13

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	6.0	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.51	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 071 **Collected:** 7/12/2016 **Lab ID:** 0021
 7510 Back ledge of Row 2 D-14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.8	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.5	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	5.3	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 072 **Collected:** 7/12/2016 **Lab ID:** 0022
 7911 Light fixture Top of cabinet -14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	17	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.3	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	8.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 073 **Collected:** 7/12/2016 **Lab ID:** 0023
 6412 Open file Row 4 E-14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 074 **Collected:** 7/12/2016 **Lab ID:** 0024
 Back outer wall of cabinet E-14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 074 **Collected:** 7/12/2016 **Lab ID:** 0024
 Back outer wall of cabinet E-14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.66	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 075 **Collected:** 7/12/2016 **Lab ID:** 0025
 7512 Shelf Row 2 J-14

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	7.7	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.69	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	4.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 076 **Collected:** 7/12/2016 **Lab ID:** 0026
 Desk top main Hallway E-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 077 **Collected:** 7/12/2016 **Lab ID:** 0027
 2213 Shelf Row 7 G-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 077 **Collected:** 7/12/2016 **Lab ID:** 0027
 2213 Shelf Row 7 G-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 078 **Collected:** 7/12/2016 **Lab ID:** 0028
 4213 File Top Row 4 G-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.76	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 079 **Collected:** 7/12/2016 **Lab ID:** 0029
 5114 Floor Track C-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	14	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	9.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 080 **Collected:** 7/12/2016 **Lab ID:** 0030
 Fire hose cabinet J-15

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 081 **Collected:** 7/12/2016 **Lab ID:** 0031
 3816 Top shelf C-16

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	22	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.3	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.3	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	11	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 082 **Collected:** 7/12/2016 **Lab ID:** 0032
 9316 Shelf Row 8 D-16

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	12	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.21	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.3	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 083 **Collected:** 7/12/2016 **Lab ID:** 0033
 9315 Top of File Row 5 E-16

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.58	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 084 **Collected:** 7/12/2016 **Lab ID:** 0034
 7516 Shelf Row 1 G-16

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.5	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.23	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 084
 7516 Shelf Row 1 G-16
Collected: 7/12/2016 **Lab ID:** 0034

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	0.76	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 085
 7516 Shelf Row 8 G-16
Collected: 7/12/2016 **Lab ID:** 0035

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	10	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.33	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 086
 5317 Floor D-17
Collected: 7/12/2016 **Lab ID:** 0036

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.79	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 087
 5817 Bottom Row 8 E-17
Collected: 7/12/2016 **Lab ID:** 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	65	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.93	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	7.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	16	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 087
 5817 Bottom Row 8 E-17
Collected: 7/12/2016 **Lab ID:** 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 088
 2618 Top of Cabinet box cover H-17
Collected: 7/12/2016 **Lab ID:** 0038

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	16	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.0	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	12	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 089
 5618 Back ledge Row 1 J-17
Collected: 7/12/2016 **Lab ID:** 0039

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	9.9	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.91	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	5.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 090
 Back wall outside B-17
Collected: 7/12/2016 **Lab ID:** 0040

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.64	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 091 **Collected:** 7/12/2016 **Lab ID:** 0041
 5320 Top Row 5 J-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.60	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 092 **Collected:** 7/12/2016 **Lab ID:** 0042
 3821 Row 3 Inside closed file D-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.65	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 093 **Collected:** 7/12/2016 **Lab ID:** 0043
 3022 Top of light Fixture C-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	31	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.65	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	12	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 094 **Collected:** 7/12/2016 **Lab ID:** 0044
 7220 Floor Hallway A-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	7.2	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 094 **Collected:** 7/12/2016 **Lab ID:** 0044
 7220 Floor Hallway A-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	0.95	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 095 **Collected:** 7/12/2016 **Lab ID:** 0045
 0522 Shelf Row 3 F-18

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.2	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.48	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 096 **Collected:** 7/12/2016 **Lab ID:** 0046
 8022 Floor Hallway E-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.61	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 097 **Collected:** 7/12/2016 **Lab ID:** 0047
 8923 Top of Cabinet D-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	32	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.7	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	11	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 097 **Collected:** 7/12/2016 **Lab ID:** 0047
 8923 Top of Cabinet D-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 098 **Collected:** 7/12/2016 **Lab ID:** 0048
 Back of cabinet D-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 099 **Collected:** 7/12/2016 **Lab ID:** 0049
 7223 Outer cover of file surface G-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.58	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 100 **Collected:** 7/12/2016 **Lab ID:** 0050
 4024 Back edge of Row 6 J-19

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.6	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.55	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.73	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	3.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 101 **Collected:** 7/12/2016 **Lab ID:** 0051
 9724 Top of file Row 5 E-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	3.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.87	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 102 **Collected:** 7/12/2016 **Lab ID:** 0052
 3925 Shelf Row 2 G-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.69	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 103 **Collected:** 7/12/2016 **Lab ID:** 0053
 8025 Open file Row 4 E-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 104 **Collected:** 7/12/2016 **Lab ID:** 0054
 9126 Top of cabinet E-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	120	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	2.4	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 104 **Collected:** 7/12/2016 **Lab ID:** 0054
 9126 Top of cabinet E-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	4.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	22	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 105 **Collected:** 7/12/2016 **Lab ID:** 0055
 9126 Floor A-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.56	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.72	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 106 **Collected:** 7/12/2016 **Lab ID:** 0056
 0827 Edge File Row 5 J-20

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.50	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.96	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 107 **Collected:** 7/12/2016 **Lab ID:** 0057
 9827 Duct Intake E-21

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612267
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/12/2016

Project: 15167179

Analytical Results

Client Sample Description 107
 9827 Duct Intake E-21
Collected: 7/12/2016 **Lab ID:** 0057

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 108
 9027 Shelf Row 7 D-21
Collected: 7/12/2016 **Lab ID:** 0058

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.21	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 109
 4128 Floor Track H-21
Collected: 7/12/2016 **Lab ID:** 0059

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	13	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	13	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.60	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 110
 Hallway Rolling Door cover E-21
Collected: 7/12/2016 **Lab ID:** 0060

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	52	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.95	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	9.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone/Fax: (317) 803-2997 / (317) 803-3047

<http://www.EMSL.com>

indianapolislaboratory@emsl.com

EMSL Order:	161612267
CustomerID:	TERR57
CustomerPO:	15167179
ProjectID:	

Definitions:

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/19/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/14/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161612273. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Reviewed and Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 111 **Collected:** 7/13/2016 **Lab ID:** 0001
 Floor Double door doorway E22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.53	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.70	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 112 **Collected:** 7/13/2016 **Lab ID:** 0002
 4129 Top of cabinet J-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	27	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	7.6	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	13	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 113 **Collected:** 7/13/2016 **Lab ID:** 0003
 4129 Top of cabinet H-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	23	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.7	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	12	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 114 **Collected:** 7/13/2016 **Lab ID:** 0004
 4129 Top of cabinet F-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	36	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	2.6	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 114 **Collected:** 7/13/2016 **Lab ID:** 0004
 4129 Top of cabinet F-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	5.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	16	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 115 **Collected:** 7/13/2016 **Lab ID:** 0005
 5029 Top of cabinet E-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	46	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	2.3	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	12	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	16	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 116 **Collected:** 7/13/2016 **Lab ID:** 0006
 5029 Top of cabinet C-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	18	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.0	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	8.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 117 **Collected:** 7/13/2016 **Lab ID:** 0007
 5029 Top of cabinet A-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	41	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	6.1	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	4.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	18	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 117
 5029 Top of cabinet A-22
Collected: 7/13/2016 **Lab ID:** 0007

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 118
 5430 Diffuser Exhaust G-22
Collected: 7/13/2016 **Lab ID:** 0008

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.76	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 119
 6230 Exhaust diffuser E-22
Collected: 7/13/2016 **Lab ID:** 0009

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.66	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.80	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 120
 Intake E-22
Collected: 7/13/2016 **Lab ID:** 0010

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.57	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 121 **Collected:** 7/13/2016 **Lab ID:** 0011
 7731 Closed File Edge Row 6 E-22

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.9	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 122 **Collected:** 7/13/2016 **Lab ID:** 0012
 4232 Folder Front Laying Flat G-23

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 123 **Collected:** 7/13/2016 **Lab ID:** 0013
 7633 Shelf Row 3 D-23

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 124 **Collected:** 7/13/2016 **Lab ID:** 0014
 3234 Top of Closed File Edge Row 6 F-23

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 124 **Collected:** 7/13/2016 **Lab ID:** 0014
 3234 Top of Closed File Edge Row 6 F-23

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.75	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 125 **Collected:** 7/13/2016 **Lab ID:** 0015
 3234 Middle paperwork of same file of 124
 Row 6

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 126 **Collected:** 7/13/2016 **Lab ID:** 0016
 3234 Edge of same file of 124 & 125 Row 6

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.22	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.86	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 127 **Collected:** 7/13/2016 **Lab ID:** 0017
 Exterior back cabin F-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.66	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 127 **Collected:** 7/13/2016 **Lab ID:** 0017
 Exterior back cabin F-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 128 **Collected:** 7/13/2016 **Lab ID:** 0018
 4435 Back Ledge Row 3 with File Remove
 J-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.98	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 129 **Collected:** 7/13/2016 **Lab ID:** 0019
 4435 Back ledge Row 1 Empty shelf G-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	14	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.85	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	7.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 130 **Collected:** 7/13/2016 **Lab ID:** 0020
 6736 Track on Floor E-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	23	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.27	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	7.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	3.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislabs@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 131 **Collected:** 7/13/2016 **Lab ID:** 0021
 7836 Folder Row 3 B-24

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 132 **Collected:** 7/13/2016 **Lab ID:** 0022
 Intake E-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	6.0	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 133 **Collected:** 7/13/2016 **Lab ID:** 0023
 1838 Closed File Edge Row 5 E-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	6.3	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.51	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 134 **Collected:** 7/13/2016 **Lab ID:** 0024
 1539 Hallway File Cabinet E-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 134 **Collected:** 7/13/2016 **Lab ID:** 0024
 1539 Hallway File Cabinet E-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 135 **Collected:** 7/13/2016 **Lab ID:** 0025
 0439 Pipes above HVAC light Duct B-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	28	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.90	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.2	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	12	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 136 **Collected:** 7/13/2016 **Lab ID:** 0026
 Ledge on Perimeter wall J-25

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.5	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.88	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 137 **Collected:** 7/13/2016 **Lab ID:** 0027
 9939 Top of cabinet F-26

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	31	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.84	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	7.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 137 **Collected:** 7/13/2016 **Lab ID:** 0027
 9939 Top of cabinet F-26

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 138 **Collected:** 7/13/2016 **Lab ID:** 0028
 2041 Exhaust Duffuser E-26

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.78	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 139 **Collected:** 7/13/2016 **Lab ID:** 0029
 4041 Shelf Row 8 G-26

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.1	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.91	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 140 **Collected:** 7/13/2016 **Lab ID:** 0030
 0642 Hallway Floor A-26

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.70	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 141 **Collected:** 7/13/2016 **Lab ID:** 0031
 4542 Interior wall of cabinet Row 7

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 142 **Collected:** 7/13/2016 **Lab ID:** 0032
 Across from 6442 Exit Sign J-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	39	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.9	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	3.7	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	14	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 143 **Collected:** 7/13/2016 **Lab ID:** 0033
 5743 Closed File Row 2 D-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 144 **Collected:** 7/13/2016 **Lab ID:** 0034
 5743 Surface of file laying Row 3 dow D-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 144 **Collected:** 7/13/2016 **Lab ID:** 0034
 5743 Surface of file laying Row 3 dow D-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 145 **Collected:** 7/13/2016 **Lab ID:** 0035
 7643 Floor G-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.1	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	3.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.77	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 146 **Collected:** 7/13/2016 **Lab ID:** 0036
 0945 Top of cabinet A-27

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	24	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.0	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	6.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 147 **Collected:** 7/13/2016 **Lab ID:** 0037
 Exterior Cabinet F-28

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 147 Exterior Cabinet F-28 **Collected:** 7/13/2016 **Lab ID:** 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 148 8245 Floor Track J-28 **Collected:** 7/13/2016 **Lab ID:** 0038

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	38	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.60	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	6.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	9.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 149 5645 Electrical Box G-28 **Collected:** 7/13/2016 **Lab ID:** 0039

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	18	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	1.3	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	8.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 150 9346 Shelf Row 1 D-28 **Collected:** 7/13/2016 **Lab ID:** 0040

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	12	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.27	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 151 **Collected:** 7/13/2016 **Lab ID:** 0041
 9346 Closed file Edge Row 4 B-28

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.78	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 152 **Collected:** 7/13/2016 **Lab ID:** 0042
 Intake E-28

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.56	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 153 **Collected:** 7/13/2016 **Lab ID:** 0043
 6847 Closed File Edge Row 4 C-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 154 **Collected:** 7/13/2016 **Lab ID:** 0044
 6847 Inside File Row 4 C-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 154 **Collected:** 7/13/2016 **Lab ID:** 0044
 6847 Inside File Row 4 C-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 155 **Collected:** 7/13/2016 **Lab ID:** 0045
 Copy Machine E-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 156 **Collected:** 7/13/2016 **Lab ID:** 0046
 Table Desk G-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	5.3	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 157 **Collected:** 7/13/2016 **Lab ID:** 0047
 Locked handle H-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	5.4	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	3.0	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	2.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	5.0	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 157 **Collected:** 7/13/2016 **Lab ID:** 0047
 Locked handle H-29

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 158 **Collected:** 7/13/2016 **Lab ID:** 0048
 Break Room Top Fridge F-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.84	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.53	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 159 **Collected:** 7/13/2016 **Lab ID:** 0049
 File on red cart clemente H-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 160 **Collected:** 7/13/2016 **Lab ID:** 0050
 Desk top H-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 161 **Collected:** 7/13/2016 **Lab ID:** 0051
 Desk Partition Ledge H-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 162 **Collected:** 7/13/2016 **Lab ID:** 0052
 301 Black tray File cabinet G-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	0.73	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 163 **Collected:** 7/13/2016 **Lab ID:** 0053
 Roll Door Cover E-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	52	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	2.3	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	4.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	17	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 164 **Collected:** 7/13/2016 **Lab ID:** 0054
 7949 Top of cabinet B-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	11	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 164 **Collected:** 7/13/2016 **Lab ID:** 0054
 7949 Top of cabinet B-30

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	1.4	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	2.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 165 **Collected:** 7/13/2016 **Lab ID:** 0055
 Loading Dock door badge swiper light switch

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	79	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	34	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	9.8	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	57	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 166 **Collected:** 7/13/2016 **Lab ID:** 0056
 Loading Dock floor between Ramp and door

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	8.3	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	1.1	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	4.9	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 167 **Collected:** 7/13/2016 **Lab ID:** 0057
 Loading Dock Rolling door

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	0.38	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	5.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.6	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612273
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/14/16 9:35 AM
 Collected: 7/13/2016

Project: 15167179

Analytical Results

Client Sample Description 167 **Collected:** 7/13/2016 **Lab ID:** 0057
 Loading Dock Rolling door

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Client Sample Description 168 **Collected:** 7/13/2016 **Lab ID:** 0058
 Street in front of Loading dock

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Chromium	0.77	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Lead	1.5	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/14/2016	TD	7/14/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/19/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/15/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161612389. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Reviewed and Approved By

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 169 **Collected:** 7/14/2016 **Lab ID:** 0001
 7050 Closed File Edge Row 5 E-31

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	6.5	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.58	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.4	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 170 **Collected:** 7/14/2016 **Lab ID:** 0002
 1750 Shelf Row 8 B-31

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	9.2	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.84	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.4	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 171 **Collected:** 7/14/2016 **Lab ID:** 0003
 Sandra A Black Tray On Desk F-31

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	5.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 172 **Collected:** 7/14/2016 **Lab ID:** 0004
 Darlo G Desk Top F-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 172 **Collected:** 7/14/2016 **Lab ID:** 0004
 Darlo G Desk Top F-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	13	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 173 **Collected:** 7/14/2016 **Lab ID:** 0005
 Seth B Phone Tray F-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	9.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 174 **Collected:** 7/14/2016 **Lab ID:** 0006
 Disffel Exhaust B-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	12	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.79	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 175 **Collected:** 7/14/2016 **Lab ID:** 0007
 Top Shelf Nods Drop Pulls H-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	14	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.23	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	2.3	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 175 **Collected:** 7/14/2016 **Lab ID:** 0007
 Top Shelf Nods Drop Pulls H-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 176 **Collected:** 7/14/2016 **Lab ID:** 0008
 2252 Insdie Court File Open F-33

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 177 **Collected:** 7/14/2016 **Lab ID:** 0009
 Hallway Intake E-33

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 178 **Collected:** 7/14/2016 **Lab ID:** 0010
 7652 Back Edge E-33

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	13	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	1.1	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.6	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	6.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 179 **Collected:** 7/14/2016 **Lab ID:** 0011
 3856 Floor A-34

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	9.9	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.79	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 180 **Collected:** 7/14/2016 **Lab ID:** 0012
 2954 Top Cabinet G-34

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	26	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	1.6	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	3.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	11	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	0.53	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 181 **Collected:** 7/14/2016 **Lab ID:** 0013
 6255 Shelf Row 2 E-32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	5.4	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 182 **Collected:** 7/14/2016 **Lab ID:** 0014
 9356 Floor Track F-35

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	110	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.85	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 182
 9356 Floor Track F-35
Collected: 7/14/2016 **Lab ID:** 0014

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	17	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	14	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	0.60	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 183
 4057 Shelf Row 8 E-35
Collected: 7/14/2016 **Lab ID:** 0015

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	59	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.35	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	4.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	4.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 184
 8458 Closed File Top Row 5 Edge H-35
Collected: 7/14/2016 **Lab ID:** 0016

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.6	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 185
 8160 Closed File Surface Laying Open C-36
Collected: 7/14/2016 **Lab ID:** 0017

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 185 **Collected:** 7/14/2016 **Lab ID:** 0017
 8160 Closed File Surface Laying Open C-36

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 186 **Collected:** 7/14/2016 **Lab ID:** 0018
 4861 Closed File Edge Row 6 E-36

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	14	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.6	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 187 **Collected:** 7/14/2016 **Lab ID:** 0019
 Top Cainet B-36

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	8.7	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.26	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.80	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	2.8	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 188 **Collected:** 7/14/2016 **Lab ID:** 0020
 6062 Floor H-37

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.52	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 189 **Collected:** 7/14/2016 **Lab ID:** 0021
 Intake Hallway E-37

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 190 **Collected:** 7/14/2016 **Lab ID:** 0022
 3264 File Closed Row 2 C-37

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.71	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 191 **Collected:** 7/14/2016 **Lab ID:** 0023
 1565 Shelf Row 6 F-38

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.73	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 192 **Collected:** 7/14/2016 **Lab ID:** 0024
 4766 Track D-38

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	1.0	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	120	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.55	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislabs@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 192
 4766 Track D-38
Collected: 7/14/2016 **Lab ID:** 0024

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	20	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	8.7	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	1.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 193
 6365 Closed File Edge Row 8 H-38
Collected: 7/14/2016 **Lab ID:** 0025

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	5.0	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 194
 6365 Open Edge File Row 4 Inside Paper H-38
Collected: 7/14/2016 **Lab ID:** 0026

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 195
 4668 Back Edge Row 3 C-39
Collected: 7/14/2016 **Lab ID:** 0027

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	13	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	1.0	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.5	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	5.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 195
 4668 Back Edge Row 3 C-39
Collected: 7/14/2016 **Lab ID:** 0027

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 196
 4267 Exhaust Diffuser F-39
Collected: 7/14/2016 **Lab ID:** 0028

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	2.6	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 197
 Fire Extinguisher Box on Wall J-39
Collected: 7/14/2016 **Lab ID:** 0029

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.54	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 198
 2971 Top of Light Fixture F-40
Collected: 7/14/2016 **Lab ID:** 0030

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	15	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	1.1	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.7	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	7.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 199 **Collected:** 7/14/2016 **Lab ID:** 0031
 2470 Close File Edge Row r B-40

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 200 **Collected:** 7/14/2016 **Lab ID:** 0032
 3572 Close File Edge Row 4 G-40

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 201 **Collected:** 7/14/2016 **Lab ID:** 0033
 Wall Cabinet Exterior F-41

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 202 **Collected:** 7/14/2016 **Lab ID:** 0034
 4073 Shelf Row 2 C-40

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 202
 4073 Shelf Row 2 C-40
Collected: 7/14/2016 **Lab ID:** 0034

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.56	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 203
 5474 Top of File Row 5 E-41
Collected: 7/14/2016 **Lab ID:** 0035

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	17	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	2.9	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 204
 Hallway Floor E-42
Collected: 7/14/2016 **Lab ID:** 0036

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.53	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 205
 Rolling Door E-42
Collected: 7/14/2016 **Lab ID:** 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	8.2	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.24	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.62	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	3.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612389
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 205 **Collected:** 7/14/2016 **Lab ID:** 0037
 Rolling Door E-42

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 206 **Collected:** 7/14/2016 **Lab ID:** 0038
 8076 Open Edge File Inside Page B-42

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/19/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/15/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161612394. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Reviewed and Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 207 **Collected:** 7/14/2016 **Lab ID:** 0001
 4477 Row 5 Closed File Edge E-43

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	28	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.22	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.9	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	3.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 208 **Collected:** 7/14/2016 **Lab ID:** 0002
 8477 Closed File Row 7 J-43

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	13	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.37	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.98	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	2.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 209 **Collected:** 7/14/2016 **Lab ID:** 0003
 Hallway Floor E-43

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	5.6	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.52	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 210 **Collected:** 7/14/2016 **Lab ID:** 0004
 Intake E-44

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 210 **Collected:** 7/14/2016 **Lab ID:** 0004
 Intake E-44

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	0.78	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.71	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 211 **Collected:** 7/14/2016 **Lab ID:** 0005
 5280 Back Edge At Shelf Row 1 C-44

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	25	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.89	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	3.4	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	10	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	0.85	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 212 **Collected:** 7/14/2016 **Lab ID:** 0006
 0481 Open File Edge Row 5 D-44

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.50	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 213 **Collected:** 7/14/2016 **Lab ID:** 0007
 Desk Hallway Office E-45

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.56	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 213 **Collected:** 7/14/2016 **Lab ID:** 0007
 Desk Hallway Office E-45

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 214 **Collected:** 7/14/2016 **Lab ID:** 0008
 4082 Perimeter Wall Edge B-45

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	21	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.7	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	7.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 215 **Collected:** 7/14/2016 **Lab ID:** 0009
 7782 Track Floor H-45

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	2.2	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	250	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.53	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	30	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	13	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 216 **Collected:** 7/14/2016 **Lab ID:** 0010
 6684 Shelf Row 5 F-46

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	9.1	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.98	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.91	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 217 **Collected:** 7/14/2016 **Lab ID:** 0011
 3685 Closed File Edge Row 2 C-46

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.56	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 218 **Collected:** 7/14/2016 **Lab ID:** 0012
 3585 Exhaust Diffuse F-46

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.6	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 219 **Collected:** 7/14/2016 **Lab ID:** 0013
 8085 File Closed Edge Row 8 J-47

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	7.9	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.68	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 220 **Collected:** 7/14/2016 **Lab ID:** 0014
 7086 Top Cabinet D-47

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	20	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	0.43	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 220
7086 Top Cabinet D-47
Collected: 7/14/2016 **Lab ID:** 0014

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	1.7	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	4.5	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 221
1987 Closed File Row 4 Bottom of Shelf E-47
Collected: 7/14/2016 **Lab ID:** 0015

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.59	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 222
Intake Halway E-48
Collected: 7/14/2016 **Lab ID:** 0016

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 223
9389 File Closed Edge Row 4 E-48
Collected: 7/14/2016 **Lab ID:** 0017

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	5.2	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.61	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 223 **Collected:** 7/14/2016 **Lab ID:** 0017
 9389 File Closed Edge Row 4 E-48

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 224 **Collected:** 7/14/2016 **Lab ID:** 0018
 Sanitizer Stand Hallway E-49

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	12	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.68	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 225 **Collected:** 7/14/2016 **Lab ID:** 0019
 9190 Shelf Row 4 D-49

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 226 **Collected:** 7/14/2016 **Lab ID:** 0020
 7493 Closed File Edge Row 5 E-50

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	16	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.3	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 227 **Collected:** 7/14/2016 **Lab ID:** 0021
 Window Sill Hallway A-50

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 228 **Collected:** 7/14/2016 **Lab ID:** 0022
 4896 Surface - Open File Row 1 D-51

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.1	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 229 **Collected:** 7/14/2016 **Lab ID:** 0023
 6097 Shelf Row 5 F-51

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	11	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	1.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.9	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 230 **Collected:** 7/14/2016 **Lab ID:** 0024
 1599 Exhaust E-52

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 230 **Collected:** 7/14/2016 **Lab ID:** 0024
 1599 Exhaust E-52

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 231 **Collected:** 7/14/2016 **Lab ID:** 0025
 Floor E-52

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	7.0	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 232 **Collected:** 7/14/2016 **Lab ID:** 0026
 9699 Closed File Edge Back Wall H-52

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	6.9	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	0.59	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	1.4	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 233 **Collected:** 7/14/2016 **Lab ID:** 0027
 File Keypad Control H allway E-50

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	0.92	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161612394
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 233 **Collected:** 7/14/2016 **Lab ID:** 0027
 File Keypad Control H allway E-50

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Client Sample Description 234 **Collected:** 7/14/2016 **Lab ID:** 0028
 Foyer Floor B-46

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Barium	17	5.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Chromium	2.3	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Lead	5.5	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/15/2016	TD	7/15/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/19/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/15/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161612396. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Reviewed and Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislabs@emsl.com

EMSL Order: 161612396
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/15/16 10:30 AM
 Collected: 7/14/2016

Project: 15167179

Analytical Results

Client Sample Description 235 **Collected:** 7/14/2016 **Lab ID:** 0001
 Ceiling Spray Applied

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	0.020	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Barium	0.33	0.10	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Cadmium	ND	0.0040	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Chromium	0.035	0.010	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Lead	ND	0.010	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Selenium	ND	0.020	mg/L	7/18/2016	TD	7/18/2016	TD
3050B/6010C	Silver	ND	0.010	mg/L	7/18/2016	TD	7/18/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)

Relocation



EMSL Analytical, Inc.
2001 East 52nd St., Indianapolis, IN 46205
Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislabs@emsl.com

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146
Phone: (314) 569-9368
Fax: (314) 692-8810

7/28/2016

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/26/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161613092. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

Relocation



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205
Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161613092
CustomerID: TERR57
CustomerPO: 15167179
ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
Fax: (314) 692-8810
Received: 07/26/16 10:10 AM
Collected: 7/22/2016

Project: 15167179

Analytical Results

Client Sample Description 072216-01 **Collected:** 7/22/2016 **Lab ID:** 0001
Floor Between C4 & D4

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	1.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Barium	5.6	5.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Chromium	1.2	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Lead	2.0	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW

Client Sample Description 072216-02 **Collected:** 7/22/2016 **Lab ID:** 0002
RO Shelf

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	1.0	1.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Barium	ND	5.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Cadmium	ND	0.20	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Chromium	ND	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Lead	ND	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Selenium	ND	1.0	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW
3050B/6010C	Silver	ND	0.50	µg/100 cm ²	7/26/2016	TD	7/26/2016	DW

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

CR6

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

7/28/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/26/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161613094. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the AIHA, unless specifically indicated. The final results are not field blank corrected. The laboratory is not responsible for final results calculated using air volumes that have been provided by non-laboratory personnel. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161613094
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/26/16 10:10 AM
 Collected: 7/22/2016

Project: 15167179

Analytical Results

Client Sample Description 035Cr6 **Collected:** 7/22/2016 **Lab ID:** 0001
 HVAC Air Duct @ D4

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
ID-215	Hexavalent Chromium	0.12	0.01	µg/100 cm ²	7/27/2016	DW	7/27/2016	DW

Client Sample Description 036Cr6 **Collected:** 7/22/2016 **Lab ID:** 0002
 Column Ledge @ D6

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
ID-215	Hexavalent Chromium	0.16	0.01	µg/100 cm ²	7/27/2016	DW	7/27/2016	DW

Client Sample Description 047Cr6 **Collected:** 7/22/2016 **Lab ID:** 0003
 Concrete Floor Inside Cage

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
ID-215	Hexavalent Chromium	0.14	0.01	µg/100 cm ²	7/27/2016	DW	7/27/2016	DW

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

8/1/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/28/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161613282. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Approved By

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161613282
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/28/16 10:35 AM
 Collected: 7/27/2016

Project: 15167179

Analytical Results

Client Sample Description 072716 **Collected:** 7/27/2016 **Lab ID:** 0001
 Mail Room Computer @ E5
 (78ROL657EE131100) 9:55:00 AM

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	21	1.0	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Barium	7.0	5.0	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Cadmium	10	0.20	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Chromium	13	0.50	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Lead	11	0.50	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Selenium	23	1.0	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Silver	2.3	0.50	µg/100 cm ²	7/29/2016	TD	7/29/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)



EMSL Analytical, Inc.

2001 East 52nd St., Indianapolis, IN 46205

Phone: (317) 803-2997 Fax: (317) 803-3047 Email: indianapolislaboratory@emsl.com

Attn:

Rick Whitney
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

8/1/2016

Phone: (314) 569-9368
Fax: (314) 692-8810

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 7/28/2016. The results are tabulated on the attached data pages for the following client designated project:

15167179

The reference number for these samples is EMSL Order #161613284. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (317) 803-2997.

Approved By:

(b) (6)

Doug Wiegand, Laboratory Manager

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

2001 East 52nd St., Indianapolis, IN 46205
 Phone/Fax: (317) 803-2997 / (317) 803-3047
<http://www.EMSL.com> indianapolislab@emsl.com

EMSL Order: 161613284
 CustomerID: TERR57
 CustomerPO: 15167179
 ProjectID:

Attn: **Rick Whitney**
Terracon Consultants, Inc.
11600 Lilburn Park Dr
Saint Louis, MO 63146

Phone: (314) 569-9368
 Fax: (314) 692-8810
 Received: 07/28/16 10:35 AM
 Collected: 7/27/2016

Project: 15167179

Analytical Results

Client Sample Description 236 **Collected:** 7/27/2016 **Lab ID:** 0001
 Insulation Top @ E32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	2.0	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Barium	23	9.9	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Cadmium	ND	0.40	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Chromium	4.0	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Lead	ND	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Selenium	ND	2.0	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Silver	ND	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD

Client Sample Description 237 **Collected:** 7/27/2016 **Lab ID:** 0002
 Insulation Beneath @ E32

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
3050B/6010C	Arsenic	ND	2.0	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Barium	22	9.9	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Cadmium	ND	0.39	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Chromium	4.1	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Lead	ND	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Selenium	ND	2.0	mg/Kg	7/29/2016	TD	7/29/2016	TD
3050B/6010C	Silver	ND	0.99	mg/Kg	7/29/2016	TD	7/29/2016	TD

Definitions:

ND - indicates that the analyte was not detected at the reporting limit
 RL - Reporting Limit (Analytical)